


## DUPLOMATIC

### VDI-20

DU.000.20/A


**AXIAL**



ER-16  
RATIO 1:1  
4000 RPM MAX

DU.000.20/B


**AXIAL**



ER-20  
RATIO 1:1  
4000 RPM MAX

DU.011.20


**RADIAL  
SET-BACK**



ER-20  
RATIO 1:1  
4000 RPM MAX

DU.013.20


**RADIAL  
SET-BACK  
SPEEDER**



ER-11  
RATIO 1:3  
15000 RPM MAX

DU.026.20


**AXIAL SPEEDER**



ER-11  
RATIO 1:3  
15000 RPM MAX

DU.030.20

**SAW CUTTER**




Ø 25  
RATIO 1:1  
3000 RPM MAX

### VDI-30

DU.000.30


**AXIAL**



ER-25  
RATIO 1:1  
4000 RPM MAX

DU.001.30

**AXIAL  
OFFSET**



ER-25  
RATIO 1:1  
6000 RPM MAX




## DUPLOMATIC

### VDI-30

DU.004.30/2

**AXIAL  
DOUBLE  
OUTPUT**




ER-25 x2  
RATIO 1:1  
6000 RPM MAX



DU.004.30/3

**AXIAL  
TRIPLE  
OUTPUT**




ER-25 x3  
RATIO 1:1  
6000 RPM MAX



DU.010.30

**RADIAL**




ER-25  
RATIO 1:1  
4000 RPM MAX



DU.011.30


**RADIAL  
SET-BACK**



ER-25  
RATIO 1:1  
4000 RPM MAX

DU.013.30


**RADIAL  
SET-BACK  
SPEEDER**



ER-11  
RATIO 1:3  
18000 RPM MAX

DU.026.30

**AXIAL  
OFFSET  
SPEEDER**




ER-11  
RATIO 1:3  
15000 RPM MAX



DU.037.30

**RADIAL  
SAW-MILL**




Ø 16  
RATIO 1:1  
6000 RPM MAX



DU.038.30

**AXIAL  
SAW-MILL**



Ø 16  
RATIO 1:1  
6000 RPM MAX



**MULTI-matic srl**

VIA GIOVANNI PASCOLI,4  
40036 MONZUNO BO

TEL.: +39 051 6773034

FAX.: +39 051 6771049

SITO: www.multi-maticsr.com


E-MAIL: commerciale@multi-maticsr.com

## DUPLOMATIC

### VDI-30

DU.012.30

**FIXED ANGLE  
(ANY ANGLE)**




ER-16A  
RATIO 1:1  
4000 RPM MAX



DU.021.30

**RADIAL  
ADJUSTABLE**




ER-20  
RATIO 1:1  
8000 RPM MAX



DU.030.30

**SAW-MILL**




Ø 25  
RATIO 1:1  
3000 RPM MAX

### VDI-40

DU.000.40

**AXIAL**




ER-32  
RATIO 1:1  
4000 RPM MAX



DU.001.40


**AXIAL  
OFFSET**



ER-32  
RATIO 1:1  
5000 RPM MAX

DU.005.40

**AXIAL WITH  
HIGH PRESSURE  
COOLANT THROUGH**




ER-32  
RATIO 1:1  
3000 RPM MAX



DU.010.40


**RADIAL**



ER-32  
RATIO 1:1  
4000 RPM MAX

DU.011.40

**RADIAL  
SET-BACK**



ER-32  
RATIO 1:1  
4000 RPM MAX




## DUPLOMATIC

### VDI-40

DU.021.40

**RADIAL  
ADJUSTABLE**




ER-25  
RATIO 1:1  
4000 RPM MAX



DU.030.40

**SAW-MILL**




Ø 16  
RATIO 1:1  
4000 RPM MAX



### VDI-50

DU.000.50

**AXIAL**




ER-40  
RATIO 1:1  
3000 RPM MAX




DU.001.50

**AXIAL  
OFFSET**




ER-40  
RATIO 1:1  
3000 RPM MAX



DU.003.50

**RADIAL  
REDUCER**




ER-40  
RATIO 4:1  
3000 RPM MAX



DU.005.50


**AXIAL WITH  
HIGH PRESSURE  
COOLANT THROUGH**



ER-40  
RATIO 1:1  
3000 RPM MAX

DU.006.50

**AXIAL OFFSET WITH  
HIGH PRESSURE  
COOLANT THROUGH**



ER-40  
RATIO 1:1  
4000 RPM MAX



**MULTI-matic srl**

VIA GIOVANNI PASCOLI,4  
40036 MONZUNO BO

TEL.: +39 051 6773034

FAX.: +39 051 6771049

SITO: www.multi-maticsr.com


E-MAIL: commerciale@multi-maticsr.com

## DUPLOMATIC

### VDI-50

DU.010.50

**RADIAL**




ER-40  
RATIO 1:1  
4000 RPM MAX



DU.011.50

**RADIAL  
SET-BACK**




ER-40  
RATIO 1:1  
3000 RPM MAX



DU.016.50


**RADIAL WITH  
HIGH PRESSURE  
COOLANT THROUGH**



ER-40  
RATIO 1:1  
4000 RPM MAX

DU.021.50

**RADIAL  
ADJUSTABLE**




ER-32  
RATIO 1:1  
4000 RPM MAX



DU.030.50

**SAW-MILL**




Ø 25.4  
RATIO 1:1  
3000 RPM MAX



### VDI-60

DU.000.60

**AXIAL**




ER-50  
RATIO 1:1  
4000 RPM MAX



DU.005.60

**AXIAL WITH  
HIGH PRESSURE  
COOLANT THROUGH**




ER-50  
RATIO 1:1  
3000 RPM MAX

## DUPLOMATIC

### VDI-60

DU.010.60

**RADIAL**




ER-50  
RATIO 1:1  
3000 RPM MAX



DU.011.60

**RADIAL  
SET-BACK**




ER-50  
RATIO 1:1  
4000 RPM MAX



DU.016.60

**RADIAL WITH  
HIGH PRESSURE  
COOLANT THROUGH**




ER-50  
RATIO 1:1  
3000 RPM MAX



DU.021.60

**RADIAL  
ADJUSTABLE**




ER-32  
RATIO 1:1  
4000 RPM MAX



### VDI-80

DU.000.80

**AXIAL**




ER-50  
RATIO 1:1  
2000 RPM MAX



DU.011.80

**RADIAL  
SET-BACK**



ER-50  
RATIO 1:1  
2000 RPM MAX

