




HANWHA

Models

SL 26/32/35 HPII
SL 20/26/32 HPD
SL 20/26 S - SL 20/26 H

HW.008.SL35


**RADIAL
DOUBLE
OUTPUT**



ER-11
RATIO 1:1
5000 RPM MAX.

HW.011.SL35

**RADIAL
SET-BACK**



ø 10
RATIO 1:1
5000 RPM MAX.

HW.030.SL32HP


SAW-MILL



ø 10
RATIO 1:1
6.000 RPM MAX.

HW.008.SL20/26S


**RADIAL
DOUBLE
OUTPUT**



ER-11
RATIO 1:1
9.500 RPM MAX

HW.011.SL20/26


**RADIAL
SET-BACK**



ER-11
RATIO 1:1
9.500 RPM MAX.

HW.051.SL20/26


**RADIAL
ADJUSTABLE**



ER-11
RATIO 1:1
9.500 RPM MAX

HW.051.SL20/26H

**RADIAL
ADJUSTABLE**



ER-11
RATIO 1:1
9.500 RPM MAX.



SPECIALS: NO PROBLEM



MULTI-matic srl

VIA GIOVANNI PASCOLI,4
40036 MONZUNO BO

TEL.: +39 051 6773034

FAX.: +39 051 6771049

SITO: www.multi-maticsr.com

E-MAIL: commerciale@multi-maticsr.com




HANWHA

Models **STL32H**

HW.000.STL32H


AXIAL



ER-20
RATIO 1:1
6.000 RPM MAX.

HW.010.STL32H


RADIAL



ER-20
RATIO 1:1
6.000 RPM MAX.

HW.011.STL32H/A


**RADIAL
SET-BACK**



ø 16
RATIO 1:1
6.000 RPM MAX.

HW.011.STL32H/B


**RADIAL
SET-BACK**



ER-20
RATIO 1:1
6.000 RPM MAX.

HW.023.STL32H/A


**AXIAL
2 SPINDLES**



ER-20
RATIO 1:1
6.000 RPM MAX.

HW.023.STL32H/B


**AXIAL
2 SPINDLES**



ER-20
RATIO 1:1
6.000 RPM MAX.

HW.030.STL32H


SAW-MILL



ø 16
RATIO 1:1
6.000 RPM MAX.

HW.035.STL32H

**THREAD
WHIRLING**



WHIRLING HOLDER
RATIO 2:1
6.000 RPM MAX.



SPECIALS: NO PROBLEM



MULTI-matic srl

VIA GIOVANNI PASCOLI,4
40036 MONZUNO BO

TEL.: +39 051 6773034

FAX.: +39 051 6771049

SITO: www.multi-maticsr.com

E-MAIL: commerciale@multi-maticsr.com




HANWHA

Models **XD20/26H**
XD20/26J

CROSS DRILL TOOLING

HW.002.XD20H


AXIAL SPEEDER



ER-11
RATIO 1:3
15.000 RPM MAX.

HW.029.XD20H/3


RADIAL 3 SPINDLES



ER-11
RATIO 1:1
8.000 RPM MAX

HW.029.XD20H/6

RADIAL 6 SPINDLES



ER-11
RATIO 1:1
8.000 RPM MAX.

HW.030.XD20H/B


SAW-MILL



ø 16
RATIO 3:1
4.000 RPM MAX.

HW.030.XD20H/C


ADJUSTABLE SAW-MILL



ø 16
RATIO 3:1
6.000 RPM MAX.

HW.035.XD20H


THREAD WHIRLING



WHIRLING HOLDER
RATIO 1:1
8.000 RPM MAX.

HW.051.XD20H/D


RADIAL ADJUSTABLE



ER-11
RATIO 1:1
9.500 RPM MAX.

HW.051.XD20H/2


RADIAL ADJUSTABLE 2 SPINDLES



ER-11
RATIO 1:1
8.000 RPM MAX.

HW.051.XD20H/3

RADIAL ADJUSTABLE 3 SPINDLES



ER-11
RATIO 1:1
8.000 RPM MAX.



SPECIALS: NO PROBLEM



MULTI-matic srl

VIA GIOVANNI PASCOLI,4
40036 MONZUNO BO

TEL.: +39 051 6773034

FAX.: +39 051 6771049

SITO: www.multi-maticsr.com












E-MAIL: commerciale@multi-maticsr.com



HANWHA

Models **XD20/26H**
XD20/26J

BACK END TOOLING

HW.008.XD20H	RADIAL DOUBLE OUTPUT		ER-11 RATIO 1:1 9.500 RPM MAX.
HW.011.XD20H	RADIAL SET-BACK		ER-11 RATIO 1:1 9.000 RPM MAX.
HW.021.XD20H	ADJUSTABLE		ER-11 RATIO 1:1 8.000 RPM MAX.
HW.030.XD20H/A	SAW-MILL		ø 13 RATIO 1:1 6.000 RPM MAX.
HW.011.X3PJT	RADIAL SET-BACK		ER-16 RATIO 1:1 9.500 RPM MAX.
HW.030.X3PJT	SAW-MILL		ø 10 RATIO 1:1 6.000 RPM MAX.
HW.034.X3PJT	POLYGON MAKER		ø 12 RATIO 1:1 6.000 RPM MAX.
HW.035.X3PJT	THREAD WHIRLING		ø 15 RATIO 1:1 8.000 RPM MAX.
HW.051.X3PJT	RADIAL ADJUSTABLE		ER-11 RATIO 1:1 9.500 RPM MAX.
HW.051.XD35H	RADIAL ADJUSTABLE		ER-11 RATIO 1:1 9.500 RPM MAX.
HW.051.XD35H	RADIAL ADJUSTABLE		ER-11 RATIO 1:1 8.000 RPM MAX.



Models **XD35H**



SPECIALS: NO PROBLEM



MULTI-matic srl

VIA GIOVANNI PASCOLI,4
40036 MONZUNO BO

TEL.: +39 051 6773034
FAX.: +39 051 6771049

SITO: www.multi-maticsr.com

E-MAIL: commerciale@multi-maticsr.com